













USI Part No.		Application	Replaces
71-10015 	71-10015 * 12 Volt Digital Regulator * Vsetting 14.8V * " P L F S " Terminals * LRC 2.5 sec. * 20A MOSFET * Heavy Duty * SCP	For: Delco CS130 & CS144 Series IR/EF Alternators	Delco 1116408 1116428 D675 D699
71-10018 	71-10018 * 12 Volt Digital Regulator * Vsetting 14.2V * " P L I S " Terminals * LRC 2.5 sec. * Heavy Duty * Flat Temperature Compensation * SCP	For: Delco CS130 & CS144 Series IR/EF Alternators Automobiles: GMC Trucks, RV, Industrial Fits Alternators: Delco 1047979, 1101482, 1101561, 1101571, 1101605, 1101616, 1101625, 1101806, 10479852, 10479959	Delco 1116425 D683
71-10022 71-10051 	71-10022 * 12 Volt Regulator * Vsetting 14.8V * 22A MOSFET * Heavy Duty * O.E. Grade 71-10051 * 12 Volt Regulator * Vsetting 14.8V * RFI Capacitor * 22A MOSFET * Heavy Duty * O.E. Grade	For: Delco CS130 Alternators Automobiles: Opel Fits Alternators: Delco 10479914, 10479923, 10479947, 10479955	Delco 10475019 19009701 Magneti Marelli 940 038 030 Opel 1204270
71-10025 	71-10025 * 12 Volt Digital Regulator * Vsetting 14.8V * " L " Terminal * 20A MOSFET * Heavy Duty * Shorted Field, Lamp Choke Protection	For: Delco CS121 Series IR/EF Alternators Automobiles: Daewoo, Pontiac, LeMans, Opel, Suzuki Fits Alternators: Delco 1101816	Delco 1116432

USI Part No.		Application	Replaces
71-10026 	71-10026 * 12 Volt Digital Regulator * Vsetting 14.8V * " L " Terminal * 20A MOSFET * Heavy Duty * Shorted Field, Lamp Choke Protection	Automobiles: Opel Vauxhal Fits Alternators: Delco 1101199, 1101551	Delco 1116424
71-10028 71-10041 	71-10028 * 12 Volt Digital Regulator * Vsetting 14.8V * " P L I S " Terminals * LRC 2.5 sec. * 20A MOSFET * Heavy Duty * Shorted Field, Lamp Protection * SCP * 1A Diode 71-10041 * 12 Volt Digital Regulator * Vsetting 14.8V * " P L I S " Terminals * LRC 2.5 sec. * 2A Diode * 20A MOSFET * Heavy Duty * Shorted Field, Lamp Protection	For : Delco CS121, CS130 & CS144 Series IR/EF Alternators	Delco 1116411 1116429 1116436 1116437 D677 D685 D698
71-10029 	71-10029 * 12 Volt Digital Regulator * Vsetting 14.2V * " P L I S " Oval Terminals * LRC 2.5 sec. * 20A MOSFET * 2A Diode * Heavy Duty * Flat Temperature Compensation * Shorted Field, Lamp Protection	For: Delco CS130D Series IR/IF Alternators Automobiles: Chevrolet & GMC P-Series Step Van Fits Alternators: Delco 10464090, 10480170	Delco 19009706
71-10030 	71-10030 * 12 Volt Digital Regulator * Vsetting 14.8V * " P L F S " Oval Terminals * LRC 10 sec. * 20A MOSFET * Heavy Duty * Shorted Field, Lamp Protection	For: Delco CS130D Series Alternators Automobiles: Buick Skylark Chevrolet Cavalier Pontiac Grand-Am, Sunfire Fits Alternators: Delco 10480074, 10480076, 10480079	Delco 19009705

Delco Series

USI Part No.		Application	Replaces
71-10031 	71-10031 * 12 Volt Digital Regulator * Vsetting 14.8V * "P L F S" Terminals * "L" Used with Instrument Cluster * LRC 10 sec. * 20A MOSFET * Heavy Duty * Remote Thermistor * Shorted Field, Lamp Protection	For: Delco CS121, CS130 and CS144 Series Alternators	Delco 19009712
71-10032 	71-10032 * 12 Volt Digital Regulator * Vsetting 14.2V * "P L F S" Terminals * "L" Used with Instrument Cluster * LRC 10 sec. * 20A MOSFET * Heavy Duty * Remote Thermistor * Shorted Field, Lamp Protection	For: Delco CS144 Series IR/EF Alternators Automobiles: Buick Riviera Cadillac Allante Fits Alternators: Delco 1048018, 1101133, 1101270, 1101330	Delco 1116412 1116434 D603A D678 D684
71-10035 	71-10035 * 12 Volt Digital Regulator * Vsetting 14.8V * "P L F S" Terminals * "L" Used with Instrument Cluster * LRC 10 sec. * 20A MOSFET * Heavy Duty * Shorted Field, Lamp Protection	Automobiles: Buick Osmobile Pontiac Fits Alternators: Delco 10480055, 10480227, 10480265	Delco 1116445
71-10038 71-10044 	71-10038 * 12 Volt Digital Regulator * Vsetting 14.6V * "P L I S" Oval Terminals * LRC 2.5 sec. * 20A MOSFET * Heavy Duty * SCP 71-10044 * 12 Volt Digital Regulator * Vsetting 14.6V * "P L I S" Oval Terminals * LRC 2.5 sec. * 2A Diode * 20A MOSFET * Heavy Duty * Shorted Field, Lamp	For: Delco CS130D Series IR/IF Alternators Automobiles: 94-On GM Vehicles Fits Alternators: Delco 10463443, 10470119, 10479981, 10479984, 10480017, 10480052, 10480071, 10480072, 10480119 Opel 321-1008, 321-1023, 321-1025, 321-1026, 321-1026, 321-1027, 321-1037, 321-1051	Delco 19009702



USI Part No.		Application	Replaces
71-10039 	71-10039 * 12 Volt Digital Regulator * Vsetting 14.8V * " P L I S " Terminals * LRC 2.5 sec. * 2A Diode * 20A MOSFET * Heavy Duty * High Lamp Current * Shorted Field, Lamp Protection	For: Delco CS121Series IR/EF Alternators Automobiles: Geo Prizm Toyota Camry, Corolla Fits Alternators: Delco 10479805,10480095, 10480096, 1101626, 1101584 Toyota 27060-02020, 27060-02050, 27060-02070, 27060-74200	Delco 1116440
71-10040 	71-10040 * 12 Volt Digital Regulator * Vsetting 14.8V * " P L I S " Terminals * LRC 2.5 sec. * 2A Diode * 20A MOSFET * Heavy Duty * Finned Heat Sink * Shorted Field, Lamp Protection	For: Delco CS121, CS130 & CS144 Series IR/EF Alternators	Delco 1116411 1116429 1116436 1116437 D677 D685 D698
71-10046 	71-10046 * 12 Volt Digital Regulator * Vsetting 14.8V * " P L F S " Terminals * LRC 10 sec. * 2A Diode * 20A MOSFET * Heavy Duty * Shorted Field, Lamp Protection	For: Delco CS130 & CS144 Series IR/EF Alternators	Delco 1116413 1116430 D600A D681
71-10047 	71-10047 * 12 Volt Digital Regulator * Vsetting 14.6V * " P L I S " Oval Terminals * LRC 10 sec. * 2A Diode * 20A MOSFET * Heavy Duty * Shorted Field, Lamp Protection	For: Delco CS130D Series IR/IF Alternators Automobiles: 94-On GM Vehicles Fits Alternators: Delco 10480043	Delco 19009703

USI Part No.		Application	Replaces
<p>71-10048</p> 	<p>71-10048</p> <ul style="list-style-type: none"> * 12 Volt Digital Regulator * Vsetting 14.8V * "PLIS" Terminals * LRC 10 sec. * 2A Diode * 20A MOSFET * Heavy Duty * Shorted Field, Lamp Choke Protection 	<p>For: Delco CS144 Series IR/EF Alternators</p> <p>Automobiles: Buick Oldsmobile Pontiac</p> <p>Fits Alternators: Delco 10480135, 10480171</p>	<p>Delco 1116446 D602A</p>
<p>71-10050</p> 	<p>71-10050</p> <ul style="list-style-type: none"> * 12 Volt Digital Regulator * Vsetting 14.8V * LRC 10 sec. * 2A Diode * 33A MOSFET * Heavy Duty * O. E. Grade 	<p>For: Delco European CS130D Series Alternators</p> <p>Automobiles: Opel Vauxhall</p>	<p>Delco 19009708</p>
<p>71-10054</p> 	<p>71-10054</p> <ul style="list-style-type: none"> * 12 Volt Regulator * Vsetting 14.3V * 33A MOSFET * Heavy Duty * RFI Capacitor * O.E. Grade 	<p>Automobiles: Citroen (China) VW Jetta</p>	<p>Delco JFT181, JFT182</p>
<p>71-10052</p> 	<p>71-10052</p> <ul style="list-style-type: none"> * 12 Volt Digital Regulator * Vsetting 14.8V * Computer Terminal * Soft Start * 20A MOSFET * Heavy Duty * Shorted Field, Lamp Protection 	<p>For: Delco CS130D Series IR/IF Alternators</p> <p>Automobiles: Acura CL3.0 Honda Accord 3.0L</p> <p>Fits Alternators: Delco 10480228, 10480228A Honda 31100-P8A-A01, 31100-P8A-A02</p>	<p>Delco 19009715</p>





Delco Series

USI Part No.		Application	Replaces
71-10059	71-10059 * 12 Volt Digital Regulator * Vsetting 14.3V * " L F R " Terminals * LRC 2.5 sec. * Heavy Duty * Shorted Field, Lamp Choke Protection	For: ASVR for European Series Alternators	Delco 19009747
71-10060	71-10060 * 12 Volt Digital Regulator * Vsetting 14.8V * " P L F S " Terminals * LRC 5 sec. * Heavy Duty * SCP * Shorted Field, Lamp Protection	For: Delco AD230 Series IR/EF Alternators Automobiles: Chevrolet Silverado, GMC Sierra Fits Alternators: Delco 1047979, 1101482, 1101561, 1101571, 1101605, 1101616, 1101625, 1101806, 10479852, 10479959	Delco 10458200 10458201
71-10027	71-10027 * 12 Volt Regulator * Vsetting 14.65V * Self Exciting	Automobiles: Opel Vauxhall	Delco 1116380, 1116384, 1116385, 1116387, 1116392, 1116423, DR600, DR666, DR667, DR668, DR680
71-10042	71-10042 * 12 Volt Regulator * Vsetting 14.65V	Automobiles: Opel Triumph Vauxhall	Delco 7934605, 7982614, 7982866 Ducellier 592980 Lucas UCB700 Opel 1204245





Delco Series




USI Part No.		Application	Replaces
71-10001 71-10006 71-10009 	71-10001 * 12 Volt Regulator * Vsetting 14.65V * BMC(ceramic) * O.E. Grade	For: Delco 10SI, 12SI, 15SI, 17SI, and 27SI/Type 100, 205 Series IR/EF Alternators	Delco 1116387 1116392 1116423 DR668 DR680
	71-10006 * 12 Volt Regulator * Vsetting 14.9V		
	71-10009 * 12 Volt Regulator * Vsetting 14.65V		
71-10002 71-10034 71-10037 71-10056 	71-10002 * 24 Volt Regulator * Vsetting 28.0V * W/Webbed Terminal	For: Delco 10SI/Type 116, 20SI, 27SI/Type 200, 29SI, and 30SI Series IR/EF Alternators	Delco 1116404 1116405 1894460
	71-10034 * 24 Volt Regulator * Vsetting 27.5V * W/Webbed Terminal * O. E. Grade		
	71-10037 * 24 Volt Regulator * Vsetting 27.5V * W/Webbed Terminal		
	71-10056 * 24 Volt Regulator * Vsetting 28.0V * W/Webbed Terminal * O. E. Grade		

Delco Series






USI Part No.		Application	Replaces
71-10003 71-10053 71-10055 	71-10003 * 12 Volt Regulator * Vsetting 14.2V * W/Webbed Terminal	For: Delco 10SI/Type 116, 20SI, 27SI/Type 200, 29SI, 30SI, and 40SI Series IR/EF Alternators	Delco 1116406 1116407 1894489 D669 D672
	71-10053 * 12 Volt Regulator * Vsetting 14.2V * W/Webbed Terminal * Shorted Field Protection * O.E. Grade		
	71-10055 * 12 Volt Regulator * Vsetting 14.6V * W/Webbed Terminal * Shorted Field Protection * O.E. Grade		
71-10045 	71-10045 * 12 Volt Regulator * Vsetting 14.2V		
71-10004 71-10049 	71-10004 * 12 Volt Regulator * Vsetting 13.8V	For: Delco 10SI/Type 116, 27SI/Type 200, 30SI, and 40SI Series IR/EF Alternators	Delco 1116389 D669
	71-10049 * 12 Volt Regulator * Vsetting 14V		
71-10005 	71-10005 * 24 Volt Regulator * Vsetting 27.5V	For: Delco 10SI/Type 116, 27SI/Type 200, and 30SI Series IR/EF Alternators	Delco 1116388 1116404

Delco Series






USI Part No.		Application	Replaces
71-10007 71-10024 	71-10007 * 12 Volt Regulator * Vsetting 14.2V * Heavy Duty * W/Webbed Terminal	For: Delco 20SI, 21SI, 25SI, 26SI, 30SI Series IR/EF Alternators Fits Alternators: Delco 1117880, 1117890, 1117894, 1117925	Delco 1116433 1116435 1116442
	71-10024 * 12 Volt Regulator * Vsetting 14.6V * Heavy Duty * W/Webbed Terminal		
71-10008 	71-10008 * 12 Volt Regulator * Vsetting 14.65V	For: Delco 12SI, 17SI Series IR/EF Alternators Automobiles: Agriculture, Industrial & Marine Application	Delco 1988988 1116409 D674 D668
71-10013 	71-10013 * 12 Volt Regulator * Vsetting 14.0V * Heavy Duty * Flat Temperature Compensation	For: Delco 21SI Series IR/EF Alternators	Delco 1116441 D691
71-10014 	71-10014 * 12 Volt Regulator * Vsetting 14.2V * Heavy Duty * Flat Temperature Compensation	For: Delco 21SI Series IR/EF Alternators Fits Alternators: Delco 1117880, 1117890, 1117894, 1117925	Delco 1116438 1116439

USI Part No.		Application	Replaces
71-20001 71-20009 	71-20001 * 12 Volt Regulator * Vsetting 14.7V * " I S A " Terminals * Heavy Duty * Shorted Field Protection	For: Ford 2G Series IR/EF Alternators Automobiles: Ford Mustang, Taurus, Mercury Sable 3.0L, 3.8L Fits Alternators: Ford FD3U-10300-CA, F4DU-10300-CA, F4DU-10300-DA, GL310	Ford E43F-10316-AA, E43Z-10316-A, E43Z-10316-B, E63F-10316-AA, E63F-10316-BB, E6TZ-10316-A, E73Z-10316-A Motorcraft GR-784, GR-784B
	71-20009 * 12 Volt Regulator * Vsetting 14.7V * " I S A " Terminals * Shorted Field Protection		
71-20002 71-20010 	71-20002 * 12 Volt Regulator * Vsetting 14.7V * " I S A " Terminals * Heavy Duty * Shorted Field Protection	For: Ford 3G Series IR/IF Alternators Automobiles: Ford Escort, Explorer, Taurus, Tempo, Thunderbird, Lincoln Town Car, Continental, Mercury Cougar, Sable, Topaz, Tracer Fits Alternators: Ford F07F-10300-AA, F0CF-10300-AA, F0DF-10300-AA, F0DZ-BC-921030-B, F1VY-10346-B, F6PZ-10346-B	Ford EIDU-10316-A, E73F-10316-A, E9DZ-10316-A, E9DF-10316-AA, F0DZ-10316-A Motorcraft GR-794A, GR-798, GR-801
	71-20010 * 12 Volt Regulator * Vsetting 14.7V * " I S A " Terminals * Shorted Field Protection		
71-20004 	71-20004 * 12 Volt Regulator * Vsetting 14.6V * " I D A " Terminals * LRC 5 sec. * Heavy Duty * Shorted Field, Lamp Protection	For: Ford 4G Series IR/IF Alternators Automobiles: Ford Lincoln, Continental Fits Alternators: Ford F6DU-10300-BB, F6DU-10300-DB, F56DU-10300-DB, F50U-10300-FA	Ford F50U-10316-A Motorcraft GR-815
71-20005 	71-20005 * 12 Volt Integral Regulator * Vsetting 14.6V * " I S A " Terminals * Heavy Duty * Shorted Field Protection	For: Ford 3G Series IR/IF Alternators Automobiles: Ford Crown Victoria w/Police option Lincoln Town Car Fits Alternators: Ford F3AU-10300CA	Ford F3AZ-10316-A F3AZ-10346-A F3RU-10316-AA Motorcraft GR-811

Ford Series






USI Part No.		Application	Replaces
71-20006 	71-20006 * 12 Volt Regulator * Vsetting 14.4V * " I S A " Terminals * LRC 5 sec. * Heavy Duty * Shorted Field, Lamp Protection	For: Ford 3G Series IR/IF Alternators Automobiles: Ford Contour Mercury Mystique Fits Alternators: Ford 94BB-10300-AE, F4PU-10300-AA, F5RU-10300-BA, F6AZ-103004	Ford F5RZ-10316-A Motorcraft GR-818
71-20007 	71-20007 * 12 Volt Regulator * Vsetting 14.6V * " I D A " Terminals * Heavy Duty * Shorted Field Protection	For: Ford 4G Series IR/IF Alternators Automobiles: Ford Crown Victoria, Explorer, F Series Trucks, Mustang & Lincoln Mark VIII Fits Alternators: Ford F6LU-10300-CA, F6ZU-10300-BC, F77U-10300-AB	Ford F6DU-10C359-AA F6DY-10316-A Motorcraft GR-817
71-20008 	71-20008 * 12 Volt Regulator * Vsetting 14.6V * " I S A " Terminals * LRC 5 sec. * Heavy Duty * Shorted Field, Lamp Protection	For: Ford 3G Series IR/IF Alternators Automobiles: Ford Mustang, Taurus, Windstar, Mercury, Sable 3.0L, 3.8L Fits Alternators: Ford FD3U-10300-CA, F4DU-10300-BA, F4DU-10300-CA, F4DU-10300-DA, F58U-10300-AB, GL310	Ford F4ZZ-10316-A Motorcraft GR-814
71-20011 	71-20011 * 12 Volt Regulator * Vsetting 14.4V * " B D L " Terminals * Shorted Field, Lamp Protection	For: Ford 6G Series IR/IF Alternators Automobiles: Ford Crown Victoria, Lincoln Mercury, F81Z-10346-CA, F81Z-10346-DA, F81Z-10346-EA, F81Z-10346-GA, F8AU-10300-AC, F8AZ-10346-AB	Ford F8WU-10C359-AB
71-20015 	71-20015 * 12 Volt Digital Regulator * Vsetting 14.4V * " A L F R " Terminals * LRC 5 sec * Shorted Field, Lamp Protection	For: Ford 6G Series IR/IF Alternators Automobiles: Ford Contour, Mercury Mystique 2.0L, Escape 3.0L, Taurus, Mercury Sable 3.0L, Mercury Cougar 2.0L, 2.5L Fits Alternators: Ford 1L8Z-10346-CB, 98BB-10300-CC, F8RZ-10346-CC, XS8Z-10346-AA, XS8Z-10346-BB, XS91-10300-BB, YC1U-10346-DA, YF1U-10300-FA, YF1Z-10346-FA	Ford XS7U-10C359-AC, XS7U-10C359-BA





Denso Series

USI Part No.		Application	Replaces
71-30001 	71-30001 * 12 Volt Regulator * Vsetting 14.5V * "IG L" Terminals * Shorted Field Protection * O.E. Approved	For: Denso IR/IF Alternators Automobiles: Daihatsu Charadi Toyota Forklift & other Industry Fits Alternators: Denso 100211-1550, 100211-1650, 100211-1660, 100211-1670, 100211-1680, 100211-4000 Ishikawajima 18504-6220	Denso 126000-0600 126000-0970 Toyota 27700-78301
71-30002 	71-30002 * 12 Volt Regulator * Vsetting 14.5V * "D I G L" Terminals * Shorted Field Protection * O.E. Approved	For: Denso IR/IF Alternators Automobiles: GM Metro Suzuki Sidekick Pontiac Firefly (Canada Only) Fits Alternators: Denso 100211-1550, 100211-1570, 100211-4070, 100211-6720, 100211-6990 Suzuki 31400-60840, 31400-86010, 31400-86510	Denso 126000-0720 126000-0721 126000-1330
71-30003 	71-30003 * 12 Volt Regulator * Vsetting 14.6V * "S I G L" Terminals * Sense Loss Indication * Soft Start * Shorted Field, Lamp, Choke Protection Repair Circuits 72-30003	For: Denso IR/IF Alternators Automobiles: Chevrolet Sprint Honda Accord, Civic Toyota Celica, Corona, Camry, Corolla Fits Alternators: Denso 100211-1000, 100211-1040, 100211-1050, 10021-1060, ... see cross reference Honda 31100-PD1-014, 31100-PD1-024, 31100-PD2-004, see cross reference Toyota 27060-10010, 27060-10011, 27060-13090, 27060-15040, ... see cross reference	Denso 126000-0340, 126000-0400, 126000-0510, 126000-0650, 126000-0700, 126000-0731, 126000-1190 Honda 31150-PD1-004, 31150-PD2-004 Toyota 27700-63020, 27700-63021, 27700-72040, 27700-72070
71-30004 	71-30004 * 12 Volt Regulator * Vsetting 14.6V * "S I G F R L" Terminals * Sense Loss Indication * Soft Start * Shorted Field, Lamp, Choke Protection Repair Circuits 72-30004	For: Denso IR/IF Alternators Automobiles: Acura Legend Honda Accord Fits Alternators: Denso 100211-2010, 100211-2140, 10211-2550, 10211-3310, 100211-6150, 10211-6170, 10211-7070, 10211-7500, 10211-7810 Honda 31100-PD6-014, 31100-PH7-013, 31100-PH7-024, 31100-PJ0-663, 31100-PK2-004, 31100-PP8-004, C1K-46	Denso 126000-0540 126000-1060 126000-1170 Honda 31150-PD6-004 31150-PD6-014
71-30005 	71-30005 * 12 Volt Regulator * Vsetting 14.6V * "C I G F R L" Terminals * Shorted Field, Lamp, Choke Protection Repair Circuits 72-30005	For: Denso IR/IF Alternators Automobiles: Acura Honda Accord, Civic Fits Alternators: Denso 100211-3590, 100211-3660, 100211-3690, 100211-8150, 100211-8550, 100211-8710, 10211-8750, 100211-8770 Honda CHA-50, 31100-PT3-A51, 31100-PT3-A52, 31100-PM5-A01, 31100-PM8-A01, 31100-PM8-A03	Denso 126000-0940 126000-1030

USI Part No.		Application	Replaces
71-30006 	71-30006 * 12 Volt Regulator * Vsetting 14.9V * " C I G L F R " Terminals * Shorted Field, Lamp, Choke Protection Repair Circuits 72-30006	For: Denso IR/IF Alternators Automobiles: Honda Prelude SI 2.2L Fits Alternators: Denso 100211-8740, 101211-5480, 101211-5850, 101211-5890 Honda 31100-P13-0130, 31100-P13-0133, 31100-P39-0030, CJP-75	Denso 126000-1410 126000-1700
71-30007 71-30021 	71-30007 * 12 Volt Regulator * Vsetting 14.6V * " D I G L " Terminals * Shorted Field, Lamp, Choke Protection * Function Exceeds O.E. 71-30021 * 12 Volt Regulator * Vsetting 14.6V * " D I G L " Terminals	For: Denso IR/IF Alternators Automobiles: Chevy Spectrum Isuzu I-Mark Honda Civic Fits Alternators: Denso 100211-1270, 100211-1271, 100211-1331, 100211-1371, 100211-1380 Suzuki 31400-82611 GM 94137345	Denso 126000-0430 Honda 31150-PE0-003 Isuzu 8-94139-012-0
71-30008 	71-30008 * 12 Volt Regulator * Vsetting 14.6V * " S I G L " Terminals * Sense Loss Indication * Soft Start * Shorted Field, Lamp, Choke Protection	For: Denso IR/IF Alternators Automobiles: Geo Prizm 1.6L Toyota Celica, Corolla 1.6L, Cressida, Camry, Lexus LS250 Fits Alternators: Denso 100211-3050, 100211-3240, 100211-3390, ... see cross reference Toyota 27060-03010, 27060-10011, 27060-11020, 27060-11030, see cross reference	Denso 126000-1400 126000-1530
71-30009 	71-30009 * 12 Volt Regulator * Vsetting 14.6V * " D I G L F R " Terminals * Shorted Field, Lamp, Choke Protection	For: Denso IR/IF Alternators Automobiles: Acura Integra Honda Civic Fits Alternators: Denso 100211-1350, 100211-1351, 100211-1370, 100211-7330 Honda 31100-PE7-660, 31100-PE7-661, 31100-PG7-013	Denso 126000-0570 Honda 31150-PE7-661
71-30010 	71-30010 * 12 Volt Regulator * Vsetting 14.6V * " D I G L " Terminals * LRC 10 sec. * Soft Start * Shorted Field, Lamp, Choke Protection	For: Denso IR/IF Alternators Automobiles: Isuzu Stylus 1.6L Geo Storm 1.6L Fits Alternators: Denso 100211-0160, 100211-7952, 100211-7990, 100211-8530, 100211-8680, 100211-8980, Isuzu 8-94023-652-0, 8-97063-812-1	Denso 126000-1200 Isuzu 8-97032091-0

USI Part No.		Application	Replaces
71-30011 	71-30011 * 12 Volt Regulator * Vsetting 14.6V * " C I G L " Terminals * Shorted Field, Lamp, Choke Protection	For: Denso IR/IF Alternators Automobiles: Isuzu I-Mark Honda Civic Fits Alternators: Denso 100211-1260, 100211-2210, 100211-3720 Honda 31100-PE1-663, 31100-PE0-924 Isuzu 8-94325-845-0	Denso 126000-0440 Honda 31100-PE0-921
71-30012 	71-30012 * 12 Volt Regulator * Vsetting 14.6V * " D I G L " Terminals * Shorted Field, Lamp, Choke Protection	For: Denso IR/IF Alternators Automobiles: Isuzu I-Mark Honda Civic Fits Alternators: Denso 100211-1400, 100211-1411 Suzuki 32500-82610	Denso 126000-0410 126000-0411 126000-0470 Suzuki 32500-82610
71-30013 	71-30013 * 12 Volt Regulator * Vsetting 14.5V * " C F R I G L " Terminals * Shorted Field Protection	For: Denso IR/IF Alternators Automobiles: Acura Integra Honda Civic Fits Alternators: Denso 126000-2090	Denso 126000-2090
71-30014 	71-30014 * 12 Volt Regulator * Vsetting 14.6V * " S I G L " Terminals * LRC 7.5 sec. * Soft Start * Sense Loss Indication * Shorted Field, Lamp, Choke Protection	For: Denso IR/IF Alternators Automobiles: Toyota Tercel 1.5L W/MT Fits Alternators: Denso 101244-2130 Toyota 27060-11250	Denso 126000-1630 Toyota 27700-11060
71-30015 	71-30015 * 12 Volt Regulator * Vsetting 14.5V * " P I G L " Terminals * Shorted Field Protection	For: Denso IR/IF Alternators Automobiles: Acura Integra Honda Civic Fits Alternators: Denso 101211-2310 Caterpillar 105-2812	Denso 126000-1800

USI Part No.		Application	Replaces
71-30016 	71-30016 * 12 Volt Regulator * Vsetting 14.6V * " S I G L " Terminals * Sense Loss Indication * Soft Start * Shorted Field, Lamp, Choke Protection	For: Denso IR/IF Alternators Automobiles: Toyota Tercel, Paseo 1.5L, Camry 2.2L, Landcruiser 4.5L Fits Alternators: Denso 101211-0120, 101211-0190, 101211-0340, ... see cross reference Delco 10480095, 10480096 Toyota 27060-02070, 27060-11270, 27060-11280, ... see cross reference	Denso 126000-1730 126000-1750 Toyota 27700-11070 27700-66040
71-30017 	71-30017 * 12 Volt Regulator * Vsetting 14.6V * " S I G L " Terminals * LRC 7.5 sec. * Sense Loss Indication * Soft Start * Shorted Field, Lamp, Protection Repair Circuits 72-30017	For: Denso IR/IF Alternators Automobiles: Toyota Camry 2.2L 70A, MR2, Paseo W/O Heatshield Fits Alternators: Denso 100211-6460, 100211-6480, 101211-0050, ... see cross reference Toyota 27060-11281, 27060-15080, 27060-15090, ... see cross reference	Denso 126000-1580 126000-1640 126000-1670 Toyota 27700-35040 27700-74030
71-30018 	71-30018 * 12 Volt Regulator * Vsetting 14.0V * " S I G L " Terminals * Sense Loss Indication * Shorted Field, Lamp, Protection	For: Denso IR/IF Alternators Automobiles: Toyota Pick-up 3.0L, T-1000 3.0L Fits Alternators: Denso 101211-0130 Toyota 27060-65040	Denso 126000-7100
71-30019 	71-30019 * 24 Volt Regulator * Vsetting 28.0V * " S I G L " Terminals * Sense Loss Indication * Shorted Field, Lamp, Protection	For: Denso IR/IF Alternators Automobiles: Toyota Coaster Diesel Fits Alternators: Denso 100211-6240, 100211-6250, 100211-6260, 100211-6270 Toyota 27060-17120, 27060-58150, 27060-58230, 27060-58250	Denso 126000-7120 27700-58040
71-30020 	71-30020 * 12 Volt Regulator * Vsetting 14.5V * " P I G L " Terminals * Shorted Field Protection	For: Denso IR/IF Alternators Automobiles: Caterpillar Yanmar Fits Alternators: Denso 101211-9010, 101211-9940	Denso 126000-1940


USI Part No.		Application	Replaces
71-30022 71-30026 	71-30022 * 24 Volt Regulator * Vsetting 28.0V * " S I G L " Terminals * Sense loss indication * Shorted field, lamp protection	For: Denso IR/IF Alternators Automobiles: Dyna 200 Toyota Bus, Landcruiser Fits Alternators: Denso 100211-7370, 100211-7850	Denso 126000-7010
	71-30026 * 12 Volt Regulator * Vsetting 14.6V * " S I G L " Terminals * Soft start * Sense loss indication * Shorted field, lamp protection	For: Denso IR/IF Alternators Automobiles: Toyota Celica, MR2 W/Opt. 100A Fits Alternators: Denso 10021-6110, 100211-6180, 100211-7470, 100211-7780,... see cross reference Toyota 27060-46010, 27060-62050, 27060-65030, 27060-74090, 27060-74170, 27060-74180, ... see cross reference	Denso 126000-0610 126000-1110 Toyota 27700-74010
71-30023 	71-30023 * 12 Volt Regulator * Vsetting 14.5V * " S I G L " Terminals * LRC 7.5 sec * Soft start * Sense loss indication * Shorted field, lamp protection	For: Denso IR/IF Alternators Automobiles: Toyota Celica, MR2 Alternators: Denso 100211-5360, 100211-6180, 100211-6300, 100211-6330, 100211-6340, 100211-6360, 100211-7910, 100211-7930 Toyota 27060-03011, 27060-74210, 27060-74330	Denso 126000-1260
	71-30024 	71-30024 * 12 Volt Regulator * Vsetting 14.5V * " D I G L " Terminals * Shorted field, lamp choke protection	For: Denso IR/IF Alternators Automobiles: GM Imports Isuzu I-Maik Geo Spectrum Fits Alternators: Denso 100211-4130, 100211-4260, 100211-6270, 100211-6600 Suzuki 31400-60840 Isuzu 8-94449-781-0
71-30025 	71-30025 * 12 Volt Regulator * Vsetting 14.5V * " S I G L " Terminals * Soft start * Sense loss indication * Shorted field, lamp choke protection	For: Denso IR/IF Alternators Automobiles: Daihatsu Charade Toyota Tercel with Transverse Engine Fits Alternators: Denso 100211-1560, 100211-4170, 100211-4350, 100211-6870 Toyota 27060-10071 Daihatsu 27060-87706-000	Denso 126000-0550 126000-0980



USI Part No.		Application	Replaces
71-30027	71-30027 * 12 Volt Regulator * Vsetting 14.7V * " D I G L " Terminals * Shorted Field Protection * RFI Capacitor * O.E. Grade * O.E. Approved	For: Denso IR/IF Alternators Automobiles: Dyna 200 Toyota Bus, Landcruiser Alternators: Denso 100211-7370, 100211-7850	Denso 126000-2550
71-30028	71-30028 * 12 Volt Regulator * Vsetting 14.55V * " D I G L " Terminals * Soft start * Sense loss indication * Shorted field, lamp protection * O.E. Grade		
71-30029	71-30029 * 12 Volt Regulator * Vsetting 14.55V * " D I G L " Terminals * Soft start * Sense loss indication * Shorted field, lamp protection * O.E. Grade		
71-30030	71-30030 * 24 Volt Regulator * Vsetting 28.0V * " I G L " Terminals * Shorted field, lamp protection		
71-30031	71-30031 * 12 Volt Regulator * Vsetting 14.55V * " D I G L " Terminals * Soft start * Sense loss indication * Shorted field, lamp protection * O.E. Grade		





USI Part No.		Application	Replaces
<p>71-40001</p> 	<p>71-40001</p> <p>* 12 Volt Regulator * Vsetting 14.5V * 32mm Slip Ring * T.C.=-4mv/°c</p>	<p>For: Bosch IR/EF Alternators</p> <p>Automobiles: Agricull Trattori Vari Aifo Various Models Alfa Romeo Alfa 6, Alfasud, Alfetta, Alfetta TD, Giulietta, Giulietta TD Audi 100/200/50/80/ 90, RO 80 Autobianchi A 112 Bedford Various Models BMW 316/318/320/518/520/ 523/528/ 530/630/633, K 110/ K 100RS, K 100 RT Carraro Trattori Vari Cesab Various Models DAF 44/46 Fendt Various Models Ferrari Various Models Fiat 124/125/127/128 /131/131D/132/132D/238</p>	<p>Bosch 0 192 052 001, 0 192 052 002, 0 192 052 004, 0 192 052 005, ... see cross reference Audi/VW 028 903 803A, 049 903 803B, 049 903 803E, 049 903 803F, ... see cross reference BMW 1231 1286 073 Fiat 4 474 755, 4 475 296, 4 475 653, 9 927 829, 9 933 186, 9 934 791, 82 302 913 Iskra 11 125 003, 10 120 110 Magneti Marelli 648 000 07, 648 080 00/10/11/ 12, RTT110A/AB/ABT Mercedes Benz 002 154 0606, 002 154 1806, 002 154 2506 ... see cross reference</p>
<p>71-40007</p> 	<p>71-40007</p> <p>* 12 Volt Regulator * Vsetting 14.5V * 32mm Slip Ring * T.C.=-4mv/°c</p>	<p>Fits Alternators: Bosch 0 120 339 526/527/528, 0 120 489 293 /309/475/501/519/521/523/532/534/544/550/556/582/587/588/590/602/608/609/610/615/620/621/622/627/628/629/630/641/642/649/650/651/652/655/657/660/683/685/686/687/688/711/ ... see cross reference</p>	<p>11 125 003, 10 120 110 Magneti Marelli 648 000 07, 648 080 00/10/11/ 12, RTT110A/AB/ABT Mercedes Benz 002 154 0606, 002 154 1806, 002 154 2506 ... see cross reference</p>
<p>71-40002</p> 	<p>71-40002</p> <p>* 12 Volt Regulator * Vsetting 14.5V * 28 mm Slip Ring * Brass Terminals * T.C.=-2mv/°c</p>	<p>For: Bosch IR/EF Alternators</p> <p>Automobiles: Valvo VW Mercedes SAAB Audi 80 1.3/1.6, 100 Diesel, Coupe 1.6/1.9 BMW 316/ 231, 5201, 7281 Fiat Ford Opel</p> <p>Fits Alternators: Bosch 0 120 468 001/002/004/005/017/025/026, 0 120 469 522, ... see cross reference</p>	<p>Bosch 1 192 052 015/016/020/021/024/ 025/027/029, 1 197 311 004/005/ /006/008/010/011/012/ 013/021 Alfa Romeo 116.1005.060.11 Audi/VW 068 903 803 BMW 1231 1726 002 Fiat 9942885 Lucas 21221349, UCB403 Porsche 944 603 14100, 944 603 14101</p>
<p>71-40003 71-40010</p> 	<p>71-40003</p> <p>* 12 Volt Regulator * Vsetting 14.4V * W/120 ohm Resistor * 28mm Slip Ring * Brass Terminals * T.C.=-11mv/°c</p> <p>71-40010</p> <p>* 12 Volt Regulator * Vsetting 14.1V * W/120 ohm Resistor * 28mm Slip Ring * T.C.=-6mv/°C</p>	<p>For: Bosch IR/EF Alternators</p> <p>Automobiles: Audi 100, 100 D, 100DT, 200, 200 TD, 4000, 4000 D, 4000 TD Citroen BX, BX D, C15, C15D, VISA, VISA D Hyundai Pony/ Stellar Mercedes 0309, 190, 190D, 190E, 200, 200D, 200TD, 209D, 240, 240D, 240 TD, 250D Peugeot 205, 205 D, 350, 305 D, 309, 309 D, 405, 504, 504 D, 504 TD, 505 Saab 900, 9001, 900, TURBO 9000, 99 Seat Ibiza, Ronda, Talbot, Horizon, Horizon D, Ranch/Samba VW Derby, Golf, Golf D, Golf GTD, Jetta D</p> <p>Fits Alternators: Bosch 0 120 468 009/010/011/015/016/035/ 036/045/ ... see cross reference</p>	<p>Bosch 1 197 311 003, 1 197 311 007, 1 197 311 008, 1 197 311 009, 1 197 311 022, 1 197 311 023, 1 197 311 050 Audi/VW 068 903 803A BMW 1711391, 1231 1279 548, 1232 1271 644, 1232 1711 399 Mercedes-Benz 002 154 4106, 002 154 5106, 002 154 7206 Saab 857 1846, 859 0549 Volvo/DAF 1324617</p>




USI Part No.		Application	Replaces
71-40004	71-40004 * 24 Volt Regulator * Vsetting 28.7V * 32mm Slip Ring * T.C.=+7mv/°c	For: Bosch IR/EF Alternators Automobiles: Aifo Various Models Fiat 100 F13, 100 NC, 110 NC, 130 NC, 150 NC, 170, 170 NC, 190 F20, 300 PC, 300 PT, 40 NC, 50 F10, 50 F8, 50 NC, 55 F9, 55NC, 65 F10, 65 F10, 65 NC, 70 NC, 75 NC, 75 NC, 80 F13, 80 NC, 90 F13, 90 NC, Fiatallis Lamborghini Magirus Deutz Volvo VW Fits Alternators: Bosch 0 120 339 537, 0 120 339 538, 0 120 469 509, 0 120 489 481/638/639/661/682/793/794/795/ ... see cross reference	Bosch 0 192 053 001, 0 192 053 002, 0 192 053 004, 0 192 053 007, 0 192 053 008, 0 192 053 027 Fiat 4 701 484, 9 988 935, 79 022 473 Iskra 11 125 004, 11 125 055, AER1403, AER1507 Lucas 21221125, 21221348, UCB402 Magirus Deutz 0 470 1484 Magneti Marelli 648 000 07 Motorola 9RC8090 Valeo 505059, NB412 Valvo/DAF 244426
71-40005 71-40008 71-40009	71-40005 * 12 Volt Regulator * Vsetting 14.2V * 32mm Slip Ring * Brass Terminals * T.C.=-7mv/°c	For: Bosch IR/EF Alternators Automobiles: AgricuLL Trattorivari Aifo Various Models Alfa Romeo Alfa 6, Alfasud, Alfetta, Alfetta TD, Giulietta, Giulietta TD Audi 100, 200, 50, 80, 90, RO80 Autobianchi A 112, A 112 Abarth BEDFord Various Models BMW 316, 318, 320, 518, 520, 525, 528, 530, 630, 633, K 100, K 100 RS, K 100 RT Carraro Trattori Vari Cesab Various Models DAF 44/46 Fendt Various Models Ferrari Various Models Fiat 124, 125, 127, 128, 131, 131 D, 132, 132 D, 238, Argenta D, Campagnola D, Daily 28, Daily 30	Bosch 0 192 052 001, 0 192 052 002, 0 192 052 004, 0 192 052 005, 0 192 052 006, 0 192 052 008, 0 192 052 011... see cross reference Audi/VW 028 903 803A, 049 903 03B ...see cross reference BMW 1231 1286 073 Iskra 11 125 003 Lucas 01221152, 21221347, 21221373, 21931009, UCB400 Mercedes-Benz 002 154 0606, 002 154 1806, 002 154 2506, 002 154 5806 Motorola 505 055, 505 55, 9RC7062...see cross reference
	71-40008 * 12 Volt Regulator * Vsetting 14.1V * 32mm Slip Ring * T.C.=-8mv/°c	Fits Alternators: Bosch 0 120 339 515/516/521/533, 0 120 469 500/501/ 502/503/504/505/513 /514/ 515/..... see cross reference	
	71-40009 * 12 Volt Regulator * Vsetting 14.5V * 32mm Slip Ring * Brass Terminals * T.C.=-7mv/°c		
71-40006	71-40006 *28 Volt. Regulator *Vsetting 28.4V *Brass Terminal *T.C.=-14mV/°C	For: Bosch IR/EF Alternators Fits Alternators: Bosch 0 120 468 053, 0 120 468 054 0 120 468 107..... see cross reference	Bosch 1 197 311 300, 1 197 311 301 1 197 311 305, 1 197 311 306 1 197 311 307, 1 197 311 318 2 197 311 301 Fiat 8198422 Ford 6094906, 82DB-10316-AA DB10-316-AA Lucas 21221408, UCB 410 Magirus-Deutz 79074715, 93158421 Magneti Marelli 940 038 018 Man 81 256016014, 81 256016016 ... see cross reference

USI Part No.		Application	Replaces
71-40011	71-40011 * 28 Volt Regulator * Vsetting 28.6V * 28mm Slip Ring * T.C.= -14mv/°c	For: Bosch IR/EF Alternators Automobiles: DAF Fiat Mercedes Scania Volvo Truck Application Fits Alternators: Bosch 0 120 460 527, 0 120 468 037, 0 120 469 519/520/521/580/ ... see cross reference	Bosch 0 192 053 005, 0 192 053 006, 0 192 053 011, 0 192 053 013, 0 192 053 016, 0 192 053 017, 0 192 053 018, 0 192 053 022, 0 192 053 023, 1 197 311 304 Iskra 11 125 095, AER1520 Lucas 21931011, UCB404 Man 81.25601.6024 Mercedes-Benz 002 154 3806, 002 154 3906, 002 154 4706, 002 154 4906
71-40012	71-40012 * 12 Volt Regulator * Vsetting 14.5V * 28mm Slip Ring * Brass Terminals * T.C.= -7mv/°c	For: Bosch IR/EF Alternators Fits Alternators: Bosch 0 120 468 026/027, 0 120 469 800/802/809/810/910/922/924, 0 120 484 005/ 006/008/009/010/013/014, 0 120 488 119/157/159/161/163/165/167/169/171/173/175/187/191/193/201/202/203/204, 0 120 489 480/483/484	Bosch 1 197 311 026, 1 197 311 027, 1 197 311 028, 1 197 311 035, 1 197 311 038, 1 197 311 040, 9 191 337 303 Audi/VW 034 903 803, 068 903 803D Ford 86GB-10316-AA GM 90349704, 90349907 Mercedes-Benz 002 154 7906 Opel 1204256, 1204259
71-40013	71-40013 * 12 Volt Regulator * Vsetting 14.5V * 28mm Slip Ring	For: Bosch IR/EF Alternators Automobiles: AMC Alfa-Romeo Audi BMW Chrysler Dodge Deutz Fiat Ford Fiesta Iveco Jaguar Lancia Mercedes-Benz Mercury Capri Merkur Plymouth Pontiac Porsche SAME VW Volvo White-GMC Truck Yugo Fits Alternators: Bosch 0 120 339 514, 0 120 339 515, 0 120 339 516, 0 120 339 521, 0 120 339 531, 0 120 339 532, 0 120 339 533, 0 120 339 544, 0 120 339 545, 0 120 339 547, 0 120 468 001, 0 120 468 002, 0 120 468 003/... see cross reference, 0 120 484 004, 0 120 484 005, 0 120 484 012, 0 120 488 102, 0 120 488 103, 0 120 488 219, 0 120 488 220, 0 120 489 002, 0 120 489 003, 0 120 489 004/... see cross reference	Bosch 0 192 052 024, 0 192 052 025, 0 192 052 027, 1 197 311 012, 1 197 311 021, 1 197 311 026, 1 197 311 027, 1 197 311 028, 1 197 311 037, 1 197 311 038, 1 197 311 040, 1 197 311 090, Audi/VW 068 903 803 Iskra 11 125 094, AER1519
71-40014	71-40014 * 12 Volt Regulator * Vsetting 14.8V * W/120 ohm Resistor * 28mm Slip Ring * T.C.= -11mv/°c	For: Bosch IR/EF Alternators Fits Alternator: Bosch 0 120 488 215, 0 120 489 476	Bosch 1 197 311 018 1 197 311 039 Megneti Marelli 940 038 015


USI Part No.		Application	Replaces
71-40017 	71-40017 * 24 Volt Regulator * Vsetting 28.3V * 28mm Slip Ring * T.C.= $-10\text{mv}/^{\circ}\text{c}$	For: Bosch IR/EF Alternators Automobiles: Saab Scania Fits Alternator: Bosch 0 120 144 112/115/116/ ... see cross reference	Bosch 0 192 053 005, 0 192 053 006, 0 192 053 011, 0 192 053 013, 0 192 053 016, 0 192 053 017, 0 192 053 018, 0 192 053 022, 0 192 053 023 Iskra 11 125 095, AER1520 Lucas 21931011, UCB404 Man 81.25601.6024 Mercedes-Benz 002 154 3806, 002 154 3906, 002 154 4706, 002 154 4906
71-40018 	71-40018 * 24 Volt Regulator * Vsetting 28.8V * 28mm Slip Ring * T.C.= $-10\text{mv}/^{\circ}\text{c}$	For: Bosch IR/EF Alternators Fits Alternator: Bosch 0 120 469 523/798/807	Bosch 0 192 053 019
71-40019 	71-40019 * 12 Volt Regulator * Vsetting 14.1V * 28mm Slip Ring * Brass Terminals * T.C.= $-6\text{mv}/^{\circ}\text{c}$	For: Bosch IR/EF Alternators Automobiles: IHC Iveco KHD Mercedes Fits Alternators: Bosch 0 120 468 065, 0 120 468 066, 0 120 469 549, ... see cross reference	Bosch 1 197 311 301 1 197 311 304 1 197 311 310 Mercedes-Benz 002 154 8406
71-40020 	71-40020 *28 Volt. Regulator *Vsetting 28.4V *Brass Terminal *T.C.= $-14\text{mV}/^{\circ}\text{C}$	For: Bosch IR/EF Alternators Automobiles: Alfa Romeo, Audi, Chrysler, Porsche, Volvo, VW Fits Alternators: Bosch 0 120 339 547, 0 120 468 001, 0 120 468 002, ... see cross reference	Alfa Romeo 116.1005.060.08 116.1005.060.11 119.1305.060.00 119.1305.060.23 705.6848.000.00 Audi/VW 068 903 803 068 903 803B J2700004010 BMW 1231 1726 002 Bosch 1 192 052 015, 1 192 052 016 1 192 052 020, 1 192 052 021 1 192 052 024, 1 192 052 025 1 192 052 027, 1 192 052 029 1 197 311 004, 1 197 311 005 ...see cross reference

USI Part No.		Application	Replaces
<p>71-40021</p> 	<p>71-40021</p> <p>* 28 Volt Regulator * Vsetting 28.0V * OE Grade * T.C.=-14mv/°c</p>	<p>For: Bosch IR/EF Alternators</p> <p>Automobiles: IHC Iveco KHD Mercedes</p> <p>Fits Alternators: Bosch 0 120 468 065, 0 120 468 066, 0 120 469 549, ... see cross reference</p>	<p>Bosch 1 197 311 301 1 197 311 304 1 197 311 310 Mercedes-Benz 002 154 8406</p>
<p>71-40022</p> 	<p>71-40022</p> <p>* 14 Volt Regulator * Vsetting 14.7V * T.C.=-2mv/°c</p>	<p>For: Bosch IR/EF Alternators</p> <p>Automobiles: Valvo VW Mercedes SAAB Audi 80 1.3/1.6, 100 Diesel, Coupe 1.6/1.9 BMW 316/ 231, 5201, 7281 Fiat Ford Opel</p> <p>Fits Alternators: Bosch 0 120 468 001/002/004/005/017/ 025/026, 0 120 469 522, ... see cross reference</p>	<p>Bosch 1 192 052 015/016/020/021/024/ 025/027/029, 1 197 311 004/005/006/008/010/011/012/ 013/021 Alfa Romeo 116.1005.060.11 Audi/VW 068 903 803 BMW 1231 1726 002 Fiat 9942885 Lucas 21221349, UCB403 Porsche 944 603 14100, 944 603 14101</p>



USI Part No.		Application	Replaces
71-50002 	71-50002 * 12 Volt Regulator * Vsetting 14.4V	For: Hitachi IR/IF Alternators Automobiles: Nissan Pathfinder 3.0L, Stanza 2.4L, Sentra 2.0L Fits Alternators: Hitachi LR160-723, LR170-734, LR170-739, LR180-725 Nissan 23100-12G02, 23100-64J00, 23100-80G08, 23100-88G00	Hitachi L180-8315 Nissan 23215-64J00
71-50003 	71-50003 * 12 Volt Regulator * Vsetting 14.25V	For: Hitachi IR/IF Alternators Automobiles: Nissan Fits Alternators: Hitachi LR160-724, LR160-727, LR170-739B, LR180-725, LR180-725B, LR180-725C, LR180-725E, LR180-734B, LR180-734C, LR180-736B Nissan 23100-64J01	Hitachi L180G-5340 Nissan 23215-64J00
71-50004 	71-50004 * 12 Volt Regulator * Vsetting 14.25V	For: Hitachi IR/IF Alternators Automobiles: Nissan Fits Alternators: Hitachi LR165-708C, LR170-738C, LR170-744, LR180-731B, LR190-715B Nissan 23100-0E700, 23100-0E705, 23100-85L00, 23100-86L00	Hitachi L180G-2340 Nissan 23215-85L00
71-50005 	71-50005 * 12 Volt Regulator * Vsetting 14.4V	For: Hitachi IR/IF Alternators Automobiles: Nissan Pulsar & Sentra Fits Alternators: Hitachi LR165-708B, LR170-738, LR170-738B, LR180-730 Nissan 23100-0E700, 23100-0E705, 23100-50Y05	Hitachi L170-33152 Nissan 23215-50Y05

USI Part No.		Application	Replaces
71-50008 71-50011 71-50013 	71-50008 * 12 Volt Regulator * Vsetting 14.4V	For: Hitachi IR/IF Alternators Automobiles: Isuzu P'up Diesel Nissan Maxima Diesel, Sentra, Pickup Fits Alternators: Hitachi LR140-130B, LR140-130P, LR140-131, LR140-131B, LR140-138, LR150-55B, LR150-133, LR150-133B, ... see cross reference Isuzu 8-94155-308-5, 8-94155-309-5, 8-94234-987-2/3/... see cross reference	Hitachi TR1Z-43, TR1Z-53, TR1Z-62, TR1Z-64 Nissan 23125-W1700, 23125-W1701
	71-50011 * 12 Volt Regulator * Vsetting 14.7V * O.E. Grade		
	71-50013 * Vsetting 14.7V		
71-50009 	71-50009 * 24 Volt Regulator * Vsetting 28.3V	For: Hitachi IR/IF Alternators Automobiles: Isuzu Nissan Nanmar Industrial Fits Alternators: Hitachi LR215-50, LR220-23, LR220-24	Hitachi TR2Z-47 Isuzu 5-81251-016-0 Nissan 23500-99008
71-50012 	71-50012 * 24 Volt Regulator * Vsetting 28.4V * O.E. Grade		Hitachi TRIZ-49



Mitsubishi Series

USI Part No.		Application	Replaces
71-60007 71-60010 	71-60007 * 12 Volt Regulator * Vsetting 14.5 V * " R L " Terminals	Automobiles: Chrysler Hyundai Mazda Mitsubishi Fits Alternators: Ford E8GY-10346-A, E8GY-10346-B, E9BZ-10346-A Hyundai 37300-21013, 37300-21320, 37900-21030 Mando AR160A Mazda B359-18-300, B655-18-300, ...	Mitsubishi A866X04872, A866X05471, A866X05472, E35618W70 Mitsubishi Motors MD611032, MD611146 Hyundai 37370-21200 Magneti Marelli 940 038 085 Mazda E358-18-W70, FE65-24-520, FE79-24-520 Nissan 23125-P0410
	71-60010 * 12 Volt Regulator * Vsetting 14.5 V * " R L " Terminals * OE Approved	see cross reference Mitsubishi A1T01991, A1T40391, A1T40491, ... see cross reference Mitsubishi Motors MD069978, MD073067, MD074644, MD074645, MD074992, MD082419	

Valeo Series

USI Part No.		Application	Replaces
71-80001 	71-80001 * 12 Volt Regulator * Vsetting 14.4V	Automobiles: Audi, BMW Fits Alternators: Paris Rhone A11VI110, A11VI111, A11VI117, A11VI118, A11VI122, A11VI123, A11VI125, A11VI191, A13VI10, A13VI48, A13VI49, A13VI54, A13VI67, A13VI69, A13VI70	Valeo 593131 Audi/VW 028 903 803F 078 903 803A 078 903 803B Lucas 2131049, UCB245 Magneti Marelli 940 038 186 Mercedes Benz 002 154 9106 Motorola 9RC2054 Peugeot 5761.9 5761.87
71-80002 	71-80002 * 12 Volt Regulator * Vsetting 14.7V	Automobiles: Audi BMW Fits Alternators: Paris Rhone A11VI140, A11VI11, A11VI16, A11VI21, A13VI31, A13VI48, A13VI70	Valeo 2521335, 2541433 Audi/VW 028 903 803F 078 903 803A 078 903 803B Lucas 2131049, UCB245 Magneti Marelli 940 038 186 Mercedes Benz 002 154 9106 Motorola 9RC2054 Peugeot 5761.87

Motorola Series

USI Part No.		Application	Replaces	
71-90001 71-90006 	71-90001 * 24 Volt Regulator * Vsetting 28.2V * Shorted Field Protection		Motorola 9RC3114	
	71-90006 * 24 Volt Regulator * Vsetting 28.5V * Shorted Field Protection			
71-90002 71-90005 71-90009 71-90007 71-90008 	71-90002 * 12 Volt Regulator * Vsetting 14.2V		Motorola 9RC2103	
	71-90005 * 24 Volt Regulator * Vsetting 28.0V			Motorola 9RC3118
	71-90009 * 24 Volt Regulator * Vsetting 28.35V			
	71-90007 * 12 Volt Regulator * Vsetting 14.55V			Motorola 9RC2106
71-90008 * 12 Volt Regulator * Vsetting 14.7V				

Lucas Series

USI Part No.		Application	Replaces
71-00001	71-00001 * 12 Volt Regulator * Vsetting 14.4V	Automobiles: Ford j.i. Case Massey Ferguson Tractors & Perkin Fits Alternators: Lucas 24145, 24156, 24157, 24158, 24161, 24169, 24198, 24199, 24200, 24203, 24206, 24207, 24208	Lucas 37701, 37703, 37705, 37707, 54048473, 54205986, 54206177, 54206448, 54206467, 54206645, 54207336, UCB148, UCBI48X, UCB150, UCB150X, UCB151, UCB151X Ford 6133746, B4AB-10316-AA Magneti Marelli 940 038 133 Motocraft EGR356 Valeo A554711A

